



CONSTRUCTION INDUSTRY • TEXTILE INDUSTRY • FLAT-PROOFING
Truck Wheels And Rollers • Rubber Bridge Absorber Systems •
MATERIAL HANDLING
WHEELS AND ROLLERS

CHOICE
OF
PROFESSIONAL



INDUSTRY • AUTOMOTIVE INDUSTRY • MINING INDUSTRY • MARINE INDUSTRY • MA
High Quality Oem Automobile Spare Parts •



ABOUT US

FKK Group was founded in 1957 in Samsun Turkey. Since then FKK Group has become the world' s leading spare parts manufacturer for automotive, mining, industrial equipment and construction industries. FKK has 4 production plants, in Samsun, Corum and Istanbul.

FKK manufacture and supply elastomer parts to the mining industry from Vulkollan, rubber and polyurethane materials. Our diversity brings to us and our customer wide product range.



**CHOICE
OF
PROFESSIONAL**

INDEX


- 02 Customer's Satisfaction
- 04 Vulkollan® Advantages
- 06 Drive Wheels
- 12 Load Wheels
- 16 Stabilising Wheels
- 22 Roller Plastic Cap
- 23 Roller Plastic Cap with Bushing
- 24 Roller Without Cap



Customer's Satisfaction

Logistics players will need trusty partners to develop and produce high quality technical wheel solutions that will enable the future of the logistics world. FKK, believes that technical wheel solutions will contribute to the evolution of the logistics. Our mission is to partner with our customers, drive technical wheel solutions that will enable the future of logistic industry to come to life.

The logistics world, which is day by day, also raises expectations. FKK is continuing its R & D efforts to meet its customers' increased load and speed expectations. It is our primary goal to produce products on the expectations of the customers by continuing the material and process development studies.



PALLET ROLLER
STABILISING WHEEL
LOAD WHEEL
DRIVE WHEEL



VULKOLLAN[®]
THE ULTIMATE ELASTOMER



Quality

Sustainability is one of the most important criteria today. Equipment that offers high quality and performance is always required for sustainable logistics. FKK serves as an uninterrupted and reliable solution partner for logistics suppliers at this point. To ensure the sustainability of product quality, FKK keeps track of all production parameters by following each phase of production through ERP system. FKK guarantee and customer satisfaction is the highest level in every case with production in compliance with the standards and under control.

The way of logistics sustainability passes through meet expectations on time and accurate. It is part of our business to be on the side of our customers which our partners, whom they need. Each product we produce is under our guarantee until meet customers expectations.





MATERIAL HA WHEELS A




Excellent Vulkollan® characteristics

Vulkollan® is the oldest, best and high-performance polyurethane elastomer ever known. Vulkollan® is made of polyester, diisocyanate (Desmodur® 15) and special chain extenders. Raw materials used in this process are selected with the utmost care and subjected to severe quality inspections to guarantee the highest quality possible.

- Excellent resistance to mechanical wear and tear
- High impact dampening capability
- High tearing resistance
- Low compression set
- Resistance to grease, oil and various solutions
- Resistance to ozone, UV and other energetic beams

The polyurethane elastomer is an organic material composed of high molecules and various urethane groups. Vulkollan® is manufactured with modern technology. Depending on the desired product characteristics, a rich formula option can optionally be selected. Products in our catalogue are made of V27 type Vulkollan® with 92 shA hardness. Where high load bearing capacities are demanded, V30 and V40 are recommended with 94-96 shA hardness.



HANDLING WHEELS AND ROLLERS



ADVANTAGES

- Compared to its rubber equivalents, Vulkollan® wheels offer a higher load bearing capacity and more cost-effectiveness.
- Operating temperatures range from -40°C/+80°C and sometimes up to +110°C.
- Resistance to hydrocarbons, greases and solvents.
- Quite silent during operation.
- Resistance to friction.
- Longer active lifespan on a smooth surface.
- Resistance to tear.
- Resistance to acids, amines and phenols.
- Its natural colour is yellow, however it is easily affected by daylight and gets darker without any loss in functionality.
- Resistant to ozone.
- This material is particularly recommended for electrical forklifts, heavy-duty machines and friction components.
- Wheels up to a weight of 60 kg can be manufactured of Vulkollan®.
- For special orders beyond our product range, we also offer customized designs.
- The load-bearing capacity ranges from 32 kg/cm² to 70 kg/cm².





DRIVE WHEELS

FKK always offer best specialized materials for your demands. We offer 92 Shore A Vulkollan and high performance special Wheel application polyurethanes for these applications.





Product Code

Vulkollan Ref. 637.001

Polyurethane Ref. 647.001

Size (mm)




Product Code

Vulkollan Ref. 637.002

Polyurethane Ref. 647.002

Size (mm)




Product Code

Vulkollan Ref. 637.003

Polyurethane Ref. 647.003

Size (mm)



Product Code

Vulkollan Ref. 637.004

Polyurethane Ref. 647.004

Size (mm)




Product Code

Vulkollan Ref. 637.005

Polyurethane Ref. 647.005

Size (mm)




Product Code

Vulkollan Ref. 637.006

Polyurethane Ref. 647.006

Size (mm)




Product Code

Vulkollan Ref. 637.007

Polyurethane Ref. 647.007

Size (mm)




Product Code

Vulkollan Ref. 637.008

Polyurethane Ref. 647.008

Size (mm)




Product Code

Vulkollan Ref. 637.009

Polyurethane Ref. 647.009

Size (mm)



Product Code

Vulkollan Ref. 637.010

Polyurethane Ref. 647.010

Size (mm)



DRIVE WHEELS

FKK always offer best specialized materials for your demands. We offer 92 Shore A Vulkollan and high performance special Wheel application polyurethanes for these applications.



Product Code
 Vulkollan Ref 637.011
 Polyurethane Ref. 647.011

Size (mm)

 D:230 H:90 d:65 4x13 95



Product Code
 Vulkollan Ref 637.033
 Polyurethane Ref. 647.033

Size (mm)

 D:230 H:100 d:80 5x15x27 112



Product Code
 Vulkollan Ref 637.036
 Polyurethane Ref. 647.036

Size (mm)

 D:230 H:90 d:45 5x13.5x23.5 70



Product Code
 Vulkollan Ref 637.012
 Polyurethane Ref. 647.012

Size (mm)

 D:250 H:75 d:80 5x18.5x24 112



Product Code
 Vulkollan Ref 637.013
 Polyurethane Ref. 647.013

Size (mm)

 D:250 H:75 d:45 5x13 70



Product Code
 Vulkollan Ref 637.014
 Polyurethane Ref. 647.014

Size (mm)

 D:250 H:100 d:80 5x18.5x24 112



Product Code
 Vulkollan Ref 637.043
 Polyurethane Ref. 647.043

Size (mm)

 D:250 H:70 l:82 d:45 5x12x22-3xM8
 70



Product Code
 Vulkollan Ref 637.046
 Polyurethane Ref. 647.046

Size (mm)

 D:250 H:75 d:80 5x16x29 112



Product Code
 Vulkollan Ref 637.047
 Polyurethane Ref. 647.047

Size (mm)

 D:250 H:92 d:80 5x16x29 112



Product Code
 Vulkollan Ref 637.048
 Polyurethane Ref. 647.048

Size (mm)

 D:250 H:105 d:80 5x16x24 112

HEELS



Product Code

Vulkollan Ref 637.050

Polyurethane Ref. 647.050

Size (mm)



D:250 H:75 d:80 5x16x24 112



Product Code

Vulkollan Ref 637.015

Polyurethane Ref. 647.015

Size (mm)



D:254 H:90 d:40 5x15 90



Product Code

Vulkollan Ref 637.039

Polyurethane Ref. 647.039

Size (mm)



D:254 H:100 d:80 5x18.5x24 112



Product Code

Vulkollan Ref 637.032

Polyurethane Ref. 647.032

Size (mm)



D:310 H:120 d:80 7x16x24 112



Product Code

Vulkollan Ref 637.040

Polyurethane Ref. 647.040

Size (mm)



D:310 H:120 d:80 5x16x24 112



Product Code

Vulkollan Ref 637.037

Polyurethane Ref. 647.037

Size (mm)



D:330 H:140 d:80 7x16x24 112



Product Code

Vulkollan Ref 637.038

Polyurethane Ref. 647.038

Size (mm)



D:330 H:135 d:80 7x16x24 112



Product Code

Vulkollan Ref 637.049

Polyurethane Ref. 647.049

Size (mm)



D:330 H:135 d:80 7x14.5x24 112



Product Code

Vulkollan Ref 637.016

Polyurethane Ref. 647.016

Size (mm)



D:343 H:110 d:90 7x18.5x22 125



Product Code

Vulkollan Ref 637.017

Polyurethane Ref. 647.017

Size (mm)



D:343 H:114 d:80 7x18.5x24 112

DRIVE WHEELS

FKK always offer best specialized materials for your demands. We offer 92 Shore A Vulkollan and high performance special Wheel application polyurethanes for these applications.



Product Code
 Vulkollan Ref. 637.018
 Polyurethane Ref. 647.018

Size (mm)

 D:343 H:114 d:90 7x15.5 125




Product Code
 Vulkollan Ref. 637.019
 Polyurethane Ref. 647.019

Size (mm)

 D:343 H:114 d:90 7x18.5x24 125



Product Code
 Vulkollan Ref. 637.020
 Polyurethane Ref. 647.020

Size (mm)

 D:343 H:135 d:80 7x15.5x24 112



Product Code
 Vulkollan Ref. 637.021
 Polyurethane Ref. 647.021

Size (mm)

 D:343 H:135 d:90 7x15.5x24 125



Product Code
 Vulkollan Ref. 637.022
 Polyurethane Ref. 647.022

Size (mm)

 D:343 H:140 d:80 7x18.5x24 112



Product Code
 Vulkollan Ref. 637.023
 Polyurethane Ref. 647.023

Size (mm)

 D:343 H:140 d:90 7x15 125



Product Code
 Vulkollan Ref. 637.024
 Polyurethane Ref. 647.024

Size (mm)

 D:343 H:140 d:90 7x18.5x24 125



Product Code
 Vulkollan Ref. 637.044
 Polyurethane Ref. 647.044

Size (mm)

 D:343 H:135 d:80 7x18.5x24 112



Product Code
 Vulkollan Ref. 637.045
 Polyurethane Ref. 647.045

Size (mm)

 D:343 H:135 d:90 7x18.5x24 125



Product Code
 Vulkollan Ref. 637.025
 Polyurethane Ref. 647.025

Size (mm)

 D:350 H:127 d:80 7x16x25 112



Product Code

Vulkollan Ref. 637.027
Polyurethane Ref. 647.027

Size (mm)



D:350 H:140 d:90 7x16x24 125



Product Code

Vulkollan Ref. 637.034
Polyurethane Ref. 647.034

Size (mm)



D:350 H:140 d:80 7x16x24 112



Product Code

Vulkollan Ref. 637.026
Polyurethane Ref. 647.026

Size (mm)



D:360 H:140 d:90 7x18.5x24 125



Product Code

Vulkollan Ref. 637.031
Polyurethane Ref. 647.031

Size (mm)



D:360 H:130 d:90 7x18.5x24 125




Product Code

Vulkollan Ref. 637.028
Polyurethane Ref. 647.028

Size (mm)



D:400 H:160 d:110 8x15x24 145



Product Code

Vulkollan Ref. 637.029
Polyurethane Ref. 647.029

Size (mm)



D:400 H:160 d:80 7x16x24 112



Product Code

Vulkollan Ref. 637.030
Polyurethane Ref. 647.030

Size (mm)



D:400 H:160 d:110 12x15.5x24 145



Product Code

Vulkollan Ref. 637.035
Polyurethane Ref. 647.035

Size (mm)



D:406 H:178 d:110 12x18.5x23,5 160



LOAD WHEELS

FKK always offer best specialized materials for your demands. We offer 92 Shore A Vulkollan and high performance special Wheel application polyurethanes for these applications.




WHEELS



Product Code
 Vulkollan Ref. 635.018
 Polyurethane Ref. 645.018

Size (mm)

 D:150 H:95 d:25



Product Code
 Vulkollan Ref. 635.019
 Polyurethane Ref. 645.019

Size (mm)

 D:200 H:100 d:40



Product Code
 Vulkollan Ref. 635.001
 Polyurethane Ref. 645.001

Size (mm)

 D:250 H:100



Product Code
 Vulkollan Ref. 635.002
 Polyurethane Ref. 645.002

Size (mm)

 D:285 H:100 d:40



Product Code
 Vulkollan Ref. 635.003
 Polyurethane Ref. 645.003

Size (mm)

 D:285 H:100 d:40



Product Code
 Vulkollan Ref. 635.004
 Polyurethane Ref. 645.004

Size (mm)

 D:285 H:100 d:40



Product Code
 Vulkollan Ref. 635.005
 Polyurethane Ref. 645.005

Size (mm)

 D:285 H:100 d:40



Product Code
 Vulkollan Ref. 635.006
 Polyurethane Ref. 645.006

Size (mm)

 D:285 H:100 d:40



Product Code
 Vulkollan Ref. 635.007
 Polyurethane Ref. 645.007

Size (mm)

 D:285 H:100 d:40



Product Code
 Vulkollan Ref. 635.016
 Polyurethane Ref. 645.016

Size (mm)

 D:285 H:100 d:40

LOAD WHEELS

FKK always offer best specialized materials for your demands. We offer 92 Shore A Vulkollan and high performance special Wheel application polyurethanes for these applications.



Product Code
 Vulkollan Ref 635.017
 Polyurethane Ref. 645.017

Size (mm)


 D:285 H:100 d:40



Product Code
 Vulkollan Ref 635.027
 Polyurethane Ref. 645.027

Size (mm)

 D:285 H:100 d:40



Product Code
 Vulkollan Ref 635.014
 Polyurethane Ref. 645.014

Size (mm)

 D:300 H:100 d:50



Product Code
 Vulkollan Ref 635.013
 Polyurethane Ref. 645.013

Size (mm)

 D:300 H:106 d:30



Product Code
 Vulkollan Ref 635.008
 Polyurethane Ref. 645.008

Size (mm)

 D:310 H:100 d:40



Product Code
 Vulkollan Ref 635.020
 Polyurethane Ref. 645.020

Size (mm)


 D:310 H:102 d:40



Product Code
 Vulkollan Ref 635.022
 Polyurethane Ref. 645.002

Size (mm)

 D:330 H:100 d:37



Product Code
 Vulkollan Ref 635.009
 Polyurethane Ref. 645.009

Size (mm)

 D:350 H:100 d:40



Product Code
 Vulkollan Ref 635.021
 Polyurethane Ref. 645.021

Size (mm)

 D:350 H:106 d:30




Product Code
 Vulkollan Ref 635.023
 Polyurethane Ref. 645.023

Size (mm)

 D:350 H:106 d:15




Product Code
 Vulkollan Ref. 635.024
 Polyurethane Ref. 645.024

Size (mm)

 D:350 H:100 d:40




Product Code
 Vulkollan Ref. 635.010
 Polyurethane Ref. 645.010

Size (mm)

 D:355 H:106 d:40




Product Code
 Vulkollan Ref. 635.011
 Polyurethane Ref. 645.011

Size (mm)

 D:355 H:135 d:40




Product Code
 Vulkollan Ref. 635.015
 Polyurethane Ref. 645.015

Size (mm)

 D:355 H:106 d:40




Product Code
 Vulkollan Ref. 635.012
 Polyurethane Ref. 645.012

Size (mm)

 D:355 H:135 d:40



STABILISING WHEELS


FKK always offer best specialized materials for your demands. We offer 92 Shore A Vulkollan and high performance special Wheel application polyurethanes for these applications.



WHEELS




Product Code
 Vulkollan Ref. 633.001
 Polyurethane Ref. 643.001

Size (mm)

 D:100 H:40 I:40 d:15





Product Code
 Vulkollan Ref. 633.002
 Polyurethane Ref. 643.002

Size (mm)

 D:100 H:40 I:40 d:20



Product Code
 Vulkollan Ref. 633.048
 Polyurethane Ref. 643.048

Size (mm)

 D:115 H:55 I:55 d:




Product Code
 Vulkollan Ref. 633.016
 Polyurethane Ref. 643.016

Size (mm)

 D:122 H:60 I:65 d:12,5




Product Code
 Vulkollan Ref. 633.003
 Polyurethane Ref. 643.003

Size (mm)

 D:125 H:40 I:40 d:15




Product Code
 Vulkollan Ref. 633.004
 Polyurethane Ref. 643.004

Size (mm)

 D:125 H:40 I:45 d:15




Product Code
 Vulkollan Ref. 633.005
 Polyurethane Ref. 643.005

Size (mm)

 D:125 H:40 I:45 d:15




Product Code
 Vulkollan Ref. 633.006
 Polyurethane Ref. 643.006

Size (mm)

 D:125 H:40 I:50 d:20




Product Code
 Vulkollan Ref. 633.007
 Polyurethane Ref. 643.007

Size (mm)

 D:125 H:50 I:50 d:20



Product Code
 Vulkollan Ref. 633.008
 Polyurethane Ref. 643.008


Size (mm)

 D:125 H:50 I:50 d:25

STABILISING WHEELS

FKK always offer best specialized materials for your demands. We offer 92 Shore A Vulkollan and high performance special Wheel application polyurethanes for these applications.




Product Code
 Vulkollan Ref 633.009
 Polyurethane Ref. 643.009

Size (mm)

 D:125 H:50 I:54 d:20




Product Code
 Vulkollan Ref 633.047
 Polyurethane Ref. 643.047

Size (mm)

 D:125 H:50 I:54 d:20




Product Code
 Vulkollan Ref 633.041
 Polyurethane Ref. 643.041

Size (mm)

 D:125 H:50 I:60 d:14,3




Product Code
 Vulkollan Ref 633.010
 Polyurethane Ref. 643.010

Size (mm)

 D:125 H:50 I:60 d:20




Product Code
 Vulkollan Ref 633.037
 Polyurethane Ref. 643.037

Size (mm)

 D:125 H:50 I:60 d:20




Product Code
 Vulkollan Ref 633.011
 Polyurethane Ref. 643.011

Size (mm)

 D:125 H:54 I:60 d:20




Product Code
 Vulkollan Ref 633.038
 Polyurethane Ref. 643.038

Size (mm)

 D:125 H:54 I:60 d:20




Product Code
 Vulkollan Ref 633.013
 Polyurethane Ref. 643.013

Size (mm)

 D:125 H:54 I:60 d:30




Product Code
 Vulkollan Ref 633.012
 Polyurethane Ref. 643.012

Size (mm)

 D:125 H:54 I:62 d:25



Product Code
 Vulkollan Ref 633.014
 Polyurethane Ref. 643.014

Size (mm)

 D:125 H:60 I:60 d:20

WHEELS



Product Code
 Vulkollan Ref 633.015
 Polyurethane Ref. 643.015

Size (mm)

 D:125 H:60 I:60 d:25



Product Code
 Vulkollan Ref 633.017
 Polyurethane Ref. 643.017

Size (mm)

 D:125 H:60 I:62 d:20



Product Code
 Vulkollan Ref 633.036
 Polyurethane Ref. 643.036

Size (mm)

 D:140 H:50 I:62 d:20



Product Code
 Vulkollan Ref 633.032
 Polyurethane Ref. 643.032

Size (mm)

 D:140 H:54 I:50 d:30



Product Code
 Vulkollan Ref 633.018
 Polyurethane Ref. 643.018

Size (mm)

 D:140 H:54 I:60 d:20



Product Code
 Vulkollan Ref 633.039
 Polyurethane Ref. 643.039

Size (mm)

 D:140 H:54 I:60 d:20



Product Code
 Vulkollan Ref 633.042
 Polyurethane Ref. 643.042

Size (mm)

 D:140 H:55 I:64 d:14,3



Product Code
 Vulkollan Ref 633.020
 Polyurethane Ref. 643.020

Size (mm)

 D:140 H:60 I:65 d:12



Product Code
 Vulkollan Ref 633.019
 Polyurethane Ref. 643.019

Size (mm)

 D:140 H:60 I:65 d:20



Product Code
 Vulkollan Ref 633.021
 Polyurethane Ref. 643.021

Size (mm)


 D:140 H:60 I:74 d:20

STABILISING WHEELS

FKK always offer best specialized materials for your demands. We offer 92 Shore A Vulkollan and high performance special Wheel application polyurethanes for these applications.




Product Code
 Vulkollan Ref. 633.035
 Polyurethane Ref. 643.035

Size (mm)

 D:150 H:37 I:37 d:




Product Code
 Vulkollan Ref. 633.031
 Polyurethane Ref. 643.031

Size (mm)

 D:150 H:40 I:50 d:20




Product Code
 Vulkollan Ref. 633.033
 Polyurethane Ref. 643.033

Size (mm)

 D:150 H:40 I:52 d:45




Product Code
 Vulkollan Ref. 633.046
 Polyurethane Ref. 643.046

Size (mm)

 D:150 H:40 I:55 d:12,5




Product Code
 Vulkollan Ref. 633.044
 Polyurethane Ref. 643.044

Size (mm)

 D:150 H:40 I:55 d:20




Product Code
 Vulkollan Ref. 633.022
 Polyurethane Ref. 643.022

Size (mm)

 D:150 H:48 I:65 d:12




Product Code
 Vulkollan Ref. 633.043
 Polyurethane Ref. 643.043

Size (mm)

 D:150 H:50 I:50 d:20




Product Code
 Vulkollan Ref. 633.023
 Polyurethane Ref. 643.023

Size (mm)

 D:150 H:50 I:60 d:20




Product Code
 Vulkollan Ref. 633.024
 Polyurethane Ref. 643.024

Size (mm)

 D:150 H:50 I:60 d:25



Product Code
 Vulkollan Ref. 633.025
 Polyurethane Ref. 643.025

Size (mm)

 D:150 H:54 I:60 d:20

WHEELS



Product Code

Vulkollan Ref. 633.040

Polyurethane Ref. 643.040

Size (mm)



D:150 H:54 l:60 d:20



Product Code

Vulkollan Ref. 633.026

Polyurethane Ref. 643.026

Size (mm)



D:150 H:55 l:60 d:25



Product Code

Vulkollan Ref. 633.029

Polyurethane Ref. 643.029

Size (mm)



D:150 H:76 l:84 d:25



Product Code

Vulkollan Ref. 633.030

Polyurethane Ref. 643.030

Size (mm)



D:150 H:78 l:79 d:30



Product Code

Vulkollan Ref. 633.034

Polyurethane Ref. 643.034

Size (mm)



D:150 H:79 l:79 d:20



Product Code

Vulkollan Ref. 633.027

Polyurethane Ref. 643.027

Size (mm)



D:160 H:45 l:45 d:30



Product Code

Vulkollan Ref. 633.028


Polyurethane Ref. 643.028

Size (mm)



D:180 H:65 l:75 d:25



ROLLER PLASTIC CAP



PRODUCT CODE

Vulkollan Ref


Polyurethane Ref.







Vulkollan Ref	Polyurethane Ref.	D(mm)	h(mm)	l(mm)	d(mm)
631.055	641.055	82	70	75	20
631.067	641.067	82	100	105	20
631.003	641.003	85	45	45	20
631.005	641.005	85	60	65	20
631.006	641.006	85	60	65	25
631.007	641.007	85	65	70	20
631.008	641.008	85	65	70	25
631.011	641.011	85	70	75	20
631.012	641.012	85	70	75	25
631.014	641.014	85	73	78	20
631.070	641.070	85	75	80	20
631.017	641.017	85	75	80	25
631.020	641.020	85	80	85	20
631.021	641.021	85	80	85	25
631.024	641.024	85	82	85	25
631.023	641.023	85	82	87	20
631.069	641.069	85	(2x42)	89	25
631.027	641.027	85	85	90	20
631.028	641.028	85	85	90	25
631.031	641.041	85	90	95	20
631.032	641.032	85	90	95	25
631.034	641.034	85	95	97	20
631.053	641.053	85	95	97	25
631.056	641.056	85	95	100	20
631.035	641.035	85	95	100	25
631.049	641.049	85	100	102	20
631.048	641.048	85	100	102	25
631.038	641.038	85	100	105	20
631.039	641.039	85	100	105	25
631.041	641.041	85	105	110	20
631.042	641.042	85	105	110	25
631.045	641.045	85	110	115	20
631.046	641.046	85	110	115	25
631.064	641.064	90	109	111	25
631.054	641.054	100	73	78	20

ROLLER PLASTIC CAP

WITH BUSHING




PRODUCT CODE

Vulkollan Ref	Polyurethane Ref.	 D(mm)	 h(mm)	 l(mm)	 d(mm)
631.063	641.063	77	70	75	12,5
631.060	641.060	80	65	70	12
631.058	641.058	85	60	62	17
631.004	641.004	85	60	65	12
631.047	641.047	85	66	70	17
631.009	641.009	85	70	75	12
631.010	641.010	85	70	75	17
631.013	641.013	85	73	78	13
631.015	641.015	85	74	76	13
631.016	641.016	85	74	76	17
631.051	641.051	85	75	77	17
631.018	641.018	85	80	85	12
631.019	641.019	85	80	82	17
631.022	641.022	85	82	87	17
631.025	641.025	85	85	90	12
631.026	641.026	85	85	90	17
631.029	641.029	85	90	95	12
631.030	641.030	85	90	95	17
631.033	641.033	85	95	100	17
631.057	641.057	85	95	101	17
631.050	641.050	85	100	102	17
631.036	641.036	85	100	105	12
631.037	641.037	85	100	105	17
631.040	641.040	85	105	110	12
631.043	641.043	85	110	115	12
631.044	641.044	85	110	115	17
631.059	641.059	90	88	92	12,5
631.052	641.052	90	100	104	12





ROLLER WITHOUT CAP



PRODUCT CODE

Vulkollan Ref

Polyurethane Ref.



Vulkollan Ref	Polyurethane Ref.	D(mm)	h(mm)	l(mm)	d(mm)
631.061	641.061	50	70		
631.001	641.001	70	60	60	17
631.002	641.002	70	60	60	20
631.068	641.068	74	48	48	20
631.065	641.065	82	60	60	20
631.066	641.066	85	70	63	17
631.062	641.062	85	90	82	20
631.071	641.071	90	50		

www.fkk.com.tr

CHOICE OF PROFESSIONAL

INDUSTRY

MARINE

MINING

AUTOMOTIVE

CONSTRUCTION



MATERIAL HANDLING
WHEELS AND ROLLERS



FKK GÜNEY OTO LASTİK TAKOZ SAN. TİC. A.Ş.

○ **Samsun** (Factory&Office)

Kerimbey Mah. Işık Sok. No:2
55300 Tekkeköy/Samsun / Türkiye

+90(362) 266 80 91-175
+90(362) 266 80 94

○ **İstanbul** (Factory&Office)

Birlik Organize Sanayi Bölgesi 5. Sokak
No:11 Tuzla / İstanbul / Türkiye

+ 90 (216) 660 04 69
+90(216) 660 05 48

○ **Ankara** (Office)

Tepe Prime İş Merkezi, Dumlupınar
Bulvarı Mustafa Kemal Mah. No:266
B blok K:7 D:70 Çankaya / Ankara

+90(312) 418 30 00
+90(312) 425 12 21

○ **Çorum** (Factory)

Organize Sanayi Sitesi Salih Aydın Bulvarı
No.1 Çorum / Türkiye

+90(364) 250 10 30