



# WAREHOUSE TRUCK WHEELS AND ROLLERS




**Turkey**  
Discover  
the potential

## About Us

FKK Group was founded 1957 in Samsun Turkey. Since then FKK Group has become the world's leading spare parts manufacturer for automotive, mining, industrial equipment and construction industries. FKK has 4 production plants, in Samsun, Corum and Istanbul.

FKK manufacture and supply elastomer parts to mining industry from Vulkollan, rubber and polyurethane materials. Our diversity bring to us and our customer wide product range.






Logistics players will need trusty partners to develop and produce high quality technical wheel solutions that will enable the future of the logistics world. FKK, believes that technical wheel solutions will contribute to the evolution of the logistics. Our mission is to partner with our customers, drive technical wheel solutions that will enable the future of logistic industry to come to life...



The logistics world, which accelerates day by day, also raises expectations. FKK is continuing its R&D efforts to meet its customers' increased load and speed expectations. It is our primary goal to produce products on the expectations of the customers by continuing the material and process development studies.








Sustainability is one of the most important criteria today. Equipment that offers high quality and performance is always required for sustainable logistics. FKK serves as an uninterrupted and reliable solution partner for logistics suppliers at this point. To ensure the sustainability of product quality, FKK keeps track of all production parameters by following each phase of production through ERP system. FKK guarantee and customer satisfaction is the highest level in every case with production in compliance with the standards and under control.

The way of logistics sustainability passes through meet expectations on time and accurate. It is part of our business to be on the side of our customers which our partners, who they need. Each product we produce is under our guarantee until meet customers expectations.



# ROLLER PLASTIC CAP








VULKOLLAN Ref.	POLYURETHANE Ref.	 D(mm)	 h(mm)	 l(mm)	 d(mm)
-------------------	----------------------	--	--	--	--

631.003	641.003	85	45	45	20
631.005	641.005	85	60	65	20
631.006	641.006	85	60	65	25
631.047	641.047	85	66	70	17
631.007	641.007	85	66	70	20
631.008	641.008	85	66	70	25
631.011	641.011	85	70	75	20
631.012	641.012	85	70	75	25
631.013	641.013	85	73	78	13
631.016	641.016	85	73	75	17
631.014	641.014	85	73	78	20
631.015	641.015	85	74	76	13
631.017	641.017	85	74	80	25
631.019	641.019	85	80	82	17
631.020	641.020	85	80	85	20
631.021	641.021	85	80	85	25
631.024	641.024	85	82	85	25
631.023	641.023	85	82	87	20
631.026	641.026	85	85	90	17
631.027	641.027	85	85	90	20




# ROLLER PLASTIC CAP







VULKOLLAN Ref.	POLYURETHANE Ref.	 D(mm)	 h(mm)	 l(mm)	 d(mm)
631.028	641.028	85	85	90	25
631.031	641.031	85	90	95	20
631.032	641.032	85	90	95	25
631.034	641.034	85	95	97	20
631.053	641.053	85	95	97	25
631.056	641.056	85	95	100	20
631.035	641.035	85	95	100	25
631.050	641.050	85	100	102	17
631.049	641.049	85	100	102	20
631.048	641.048	85	100	102	25
631.038	641.038	85	100	105	20
631.039	641.039	85	100	105	25
631.041	641.041	85	105	110	20
631.042	641.042	85	105	110	25
631.045	641.045	85	110	115	20
631.046	641.046	85	110	115	25
631.054	641.054	100	73	78	20
631.055	641.055	85	70	75	20



# ROLLER METAL CAP



VULKOLLAN Ref.	POLYURETHANE Ref.	 D(mm)	 h(mm)	 l(mm)	 d(mm)
631.001	641.001	70	60	60	17
631.002	641.002	70	60	60	20
631.058	641.058	85	60	62	17
631.004	641.004	85	60	65	12
631.009	641.009	85	70	75	12
631.010	641.010	85	70	75	17
631.051	641.051	85	75	77	17
631.018	641.018	85	80	85	12
631.022	641.022	85	82	87	12
631.025	641.025	85	85	90	12
631.029	641.029	85	90	95	12
631.030	641.030	85	90	95	17
631.033	641.033	85	95	102	12
631.057	641.057	85	95	101	17
631.036	641.036	85	100	105	12
631.052	641.052	90	100	104	12
631.037	641.037	85	100	105	17
631.040	641.040	85	105	110	12
631.043	641.043	85	110	115	12
631.044	641.044	85	110	115	17
631.059	641.059	90	88	92	12,5





## STABILISING WHEELS

	VULKOLLAN Ref.	POLYURETHANE Ref.	 (mm)	 (mm)	 (mm)	 (mm)
 <i>Aluminium rim</i>	633.001	643.001	100	40	40	15
	633.002	643.002	100	40	40	20
	633.003	643.003	125	40	40	15
 <i>Aluminium rim</i>	633.004	643.004	125	40	45	15
 <i>Aluminium rim</i>	633.005	643.005	125	40	45	15
	633.006	643.006	125	40	50	20
	633.007	643.007	125	50	50	20



## STABILISING WHEELS

	VULKOLLAN Ref.	POLYURETHANE Ref.	 (mm)	 (mm)	 (mm)	 (mm)
	633.008	643.008	125	50	50	25
	633.009	643.009	125	50	54	20
	633.010	643.010	125	50	60	20
 <i>Aluminium rim</i>	633.037	643.037	125	50	60	20
	633.011	643.011	125	54	60	20
 <i>Aluminium rim</i>	633.038	643.038	125	54	60	20
	633.012	643.012	125	54	62	25



## STABILISING WHEELS

	VULKOLLAN Ref.	POLYURETHANE Ref.	 (mm)	 (mm)	 (mm)	 (mm)
	633.013	643.013	125	55	60	30
	633.014	643.014	125	60	60	20
	633.015	643.015	125	60	60	25
	633.016	643.016	122	60	64	12,5
	633.017	643.017	125	60	64	20
	633.036	643.036	140	50	62	20
	633.032	643.032	140	54	50	30



## STABILISING WHEELS

	VULKOLLAN Ref.	POLYURETHANE Ref.	 (mm)	 (mm)	 (mm)	 (mm)
	633.018	643.018	140	54	60	20
 <i>Aluminium rim</i>	633.039	643.039	140	54	60	20
	633.019	643.019	140	60	65	20
	633.020	643.020	140	60	65	12
	633.021	643.021	140	60	75	20
	633.035	643.035	150	37	37	
	633.031	643.031	150	40	50	20



## STABILISING WHEELS

	VULKOLLAN Ref.	POLYURETHANE Ref.	 (mm)	 (mm)	 (mm)	 (mm)
	633.033	643.033	150	40	52	45
	633.022	643.022	150	48	65	12
	633.023	643.023	150	50	60	20
	633.024	643.024	150	50	60	25
	633.025	643.025	150	54	60	20
 <i>Aluminium rim</i>	633.040	643.040	150	54	60	20
	633.026	643.026	150	55	60	25













## STABILISING WHEELS

	VULKOLLAN Ref.	POLYURETHANE Ref.	 (mm)	 (mm)	 (mm)	 (mm)
	633.029	643.029	150	76	81	25
	633.030	643.030	150	78	79	30
	633.034	643.034	150	79	79	20
	633.027	643.027	160	45	45	30
	633.028	643.028	180	65	75	25












## LOAD WHEELS

	VULKOLLAN Ref.	POLYURETHANE Ref.	 (mm)	 (mm)	 (mm)	 (mm)
	635.018	645.018	150	95	95	25
	635.019	645.019	200	100	80	40
	635.001	645.001	250	100	100	80
	635.025	645.025	285	85	80	43
	635.002	645.002	285	100	100	40
	635.003	645.003	285	100	100	40













## LOAD WHEELS

	VULKOLLAN Ref.	POLYURETHANE Ref.	 (mm)	 (mm)	 (mm)	 (mm)
	635.004	645.004	285	100	68	40
	635.005	645.005	285	100	70	40
	635.006	645.006	285	100	70	40
	635.007	645.007	285	100	100	40
	635.016	645.016	285	100	70	40
	635.017	645.017	285	100	70	40















## LOAD WHEELS

	VULKOLLAN Ref.	POLYURETHANE Ref.	 (mm)	 (mm)	 (mm)	 (mm)
	635.013	645.013	300	106	80	30
	635.014	645.014	300	100	90	28
	635.008	645.008	310	100	90	60 / 40
	635.022	645.022	330	100	90	37
	635.009	645.009	350	100	80	30
	635.021	645.021	350	106	100	30








## LOAD WHEELS

	VULKOLLAN Ref.	POLYURETHANE Ref.	 (mm)	 (mm)	 (mm)	 (mm)
	635.023	645.023	350	100	100	30
	635.024	645.024	350	100	80	40
	635.010	645.010	355	106	100	40
	635.011	645.011	355	135	118	40
	635.012	645.012	355	135	118	40
	635.015	645.015	355	106	100	40



## DRIVE WHEELS

VULKOLLAN POLYURETHANE  
Ref. Ref.



637.001

647.001

215

76

89

60

5x11

92



637.002

647.002

230

70

76

45

5x13/24,5

70



637.003

647.003

230

70

82

65

5x13,5/23

90



637.004

647.004

230

75

80

6x14

112



637.005

647.005

230

75

82,5

45

5x13/22,2

70



637.006

647.006

230

75

84

30

5x13

70







**VULKOLLAN®**  
THE ULTIMATE ELASTOMER



## DRIVE WHEELS

VULKOLLAN POLYURETHANE  
Ref. Ref.



637.007

647.007

230

75

84

45

5x13

70



637.008

647.008

230

77

84

45

5x12,5/22,5  
3xM8

68



637.009

647.009

230

82

82

45

5x14/18  
3xM8

70



637.010

647.010

230

88

65

5x13/23

90



637.036

647.036

230

90

45

5x13,5/23,5

70



637.011

647.011

230

90

65

4x13

95









**VULKOLLAN®**  
THE ULTIMATE ELASTOMER



## DRIVE WHEELS

VULKOLLAN POLYURETHANE  
Ref. Ref.



637.033

647.033


230

100

80

5x15/27

112



637.012

647.012

250

75

80

5x18,5/24

112



637.013

647.013

250

75

84

45

5x13

70



637.014

647.014

250

100

80

5x18,5/24

112



637.015

647.015

254

90

40

5x15

90



637.039

647.039

254

100

80

5x18,5/24

112








**VULKOLLAN®**  
THE ULTIMATE ELASTOMER



## DRIVE WHEELS

VULKOLLAN POLYURETHANE  
Ref. Ref.



637.032

647.032

310

120

80

7x16/24

112



637.040

647.040

310

120

80

5x16/24

112



637.038

647.038

330

135

80

7x16/24

112



637.037

647.037

330

140

80

7x16/24

112



637.016

647.016

343

110

90

7x18,5/22,5

125



637.017

647.017

343

114

80

7x18,5/24

112








**VULKOLLAN®**  
THE ULTIMATE ELASTOMER



## DRIVE WHEELS

VULKOLLAN POLYURETHANE  
Ref. Ref.



637.018

647.018

343

114

90

7x15

125



637.019

647.019

343

114

90

7x18,5/24

125



637.020

647.020

343

135

80

7x15,5/24

112



637.021

647.021


343

135

90

7x15,5/24

125



637.022

647.022

343

140

80

7x18,5/24

112



637.023

647.023

343

140

90

7x15

125









**VULKOLLAN®**  
THE ULTIMATE ELASTOMER



## DRIVE WHEELS

VULKOLLAN POLYURETHANE  
Ref. Ref.



637.024

647.024

343

140

90

7x18,5/24

125



637.025

647.025

350

127

80

7x16/25

123



637.034

647.034

350

140

80

7x16/24

112



637.027

647.027


350

140

90

7x16/24

125



637.031

647.031

360

130

90

7x18,5/24

125



637.026

647.026

360

140

90

7x18,5/24






125





## DRIVE WHEELS

VULKOLLAN POLYURETHANE  
Ref. Ref.



637.028

647.028

400

160

110

8x15/24

144,5



637.029

647.029

400

160

80

7x16/24

112



637.030

647.030

400

160

110

12x15,5/24

145



637.035

647.035

406

178

110

12x18,5/23,5

160



**VULKOLLAN®**  
THE ULTIMATE ELASTOMER



TS EN ISO/IEC 17025



ISO 9001:2008



OHSAS 18001:2007



ISO/TS 16949:2002



ISO 14001:2004

SAMSUN Factory and Office  
Kerimbey Mahallesi  
Işık Sok. No:2  
55300 Samsun / Türkiye

+90(362) 266 80 91-175

+90(362) 266 80 94

İSTANBUL Factory and Office  
Birlik Organize Sanayii Bölgesi  
5.Sokak No:11  
Tuzla / İstanbul / Türkiye

+90 (216) 660 04 69

+90(216) 660 05 48

ANKARA –Office  
The Paragon Tower,  
Ufuk Üniv.Cad. No:3 - 9.kat,  
D:41 Çukurambar-Ankara

+90(312) 418 30 00

+90(312) 425 12 21

ÇORUM –Factory  
Organize Sanayi Sitesi  
Salih Aydın Bulvarı No.1  
Çorum / Türkiye

+90(364) 250 10 30

[www.fkk.com.tr](http://www.fkk.com.tr)

